AUTHOR: Zinov'yev, A. A.; Titova, K. V.

some properties of anhydrous of lithium permanganate

54

Card 1/2

BABAYEVA, V.P.; ZINOV'YEV, A.A.

Effect of the concentration of perchloric acid on its thermal
decomposition. Zhur.neorg.khim. 8 no.3:567-572 Mr '63.   (MIRA 16:4)

1. Institut obshchey i neorganicheskoy khimii imeni N.S.Kurnakova,
AN SSSR.

(Perchloric acid)

BABAYEVA, V.P.; ZINOV'YEV, A.A.

Products of the thermal decomposition of anhydrous perchloric
acid. Dokl.AN SSSR 149 no.3:592-594 Mr '63.   (MIRA 16:4)

1. Institut obshchey i neorganicheskoy khimii im. N.S.Kurnakova.
Predstavleno akademikom I.V.Tananayevym.
                              (Perchloric acid)

KRIVTSOV, N.V.; ZINOV'YEV, A.A.

Melting diagrams in the systems $LiClO_4$ - $Ca(ClO_4)_2$ and $NaClO_4$ - $Ca(ClO_4)_2$. Zhur.neorg.khim. 8 no.1:186-191 Ja '63.
(MIRA 16:5)

1. Institut obshchey i neorganicheskoy khimii imeni N.S.Kurnakova AN SSSR.
(Perchlorates) (Melting points)

ZINOV'YEV, A.A.; KADYROV, V.

Physicochemical characteristics of Dzhargalan salt sources.
Izv. AN Kir. SSR. Ser. est. i tekh. nauk 2 no.11:33-37 '60.
(MIRA 14:10)

(Dzhargalan—Salt)

ZINOV'YEV, A.A., Cand Chem Sci—(diss) "Certain physico-chemical pecula-
rities of the Tyan'-Shan'/salt deposits." Mos, 1958. 12 pp (Acad Sci USSR. Inst of
General and Inorganic Chemistry im N.S. Kurnakov), 150 copies (KL,26-58,106)

- 21 -

ZINOV'YEV, A.A.

FRIDMAN, Ya.D.; ZINOV'YEV, A.A.; KHAKIMOV, K.V., otvetstvennyy redaktor.

[Organization of the salt industry in the Kirghis S.S.R.] Organi-
zatsiia solepromyslov v Kirgizskoi SSR. Frunze, 1948. 28 p.(MLRA 7:11)

(Kirghisistan--Salt mines and mining) (Salt mines and mining--
Kirghisistan)

FRIDMAN, YA. D., AND ZINOV'YEV, A. A.

Glauberitic Type of Natural Solutions of Salts

The glauberitic type of solutions is formed in the lixiviation by natural waters of glauberite ($CaSO_4$. Na_2SO_4) from salt-bearing Tertiary deposits of the T'ien Shan. Solutions of the glauberitic type can be characterized by the ratio of the number of moles of $CaSO_4$ to the number of moles of Na_2SO_4; this ratio for the mentioned solutions is approximately 0.003 to 1. In the process of metamorphization the glauberitic solutions display a tendency to pass over to solutions of the chloride type. The water of Lake Issyk-Kul' is an example of solutions of the glauberitic type. (RZhGeol, No. 5, 1955) Tr. In-ta khimii Kirgizsk. fil. AN SSSR, No. 5, 1953, 3-8.

SO: Sum. No. 744, 8 Dec 55 - Supplementary Survey of Soviet Scientific
     Abstracts (17)

FRIDMAN, Ya.D.; ZHIKOV'YEV, A.A.; LOPINA, M.D.; DRUZHININ, I.G., redaktor;
    TSYBINA, Ye.V., tekhnicheskiy redaktor

[Binary sulfates of sodium and calcium and ways of processing them
in natural deposits] Dvoinye sul'faty natriia i kal'tsiia i puti
pererabotki ikh prirodnykh otlozhenii. Frunze, Izd-vo Akademii nauk
Kirgizskoi SSR, 1956. 133 p.   (MLRA 10:1)
        (Sodium sulfate)   (Calcium sulfate)

DRUZHININ, I.G.; KHARAKOZ, A.Ye.; ZINOV'YEV, A.A., red.; SEMIKINA,
    T.F., red.izd-va; ANOKHINA, M.G., tekhn.red.

[Physicochemical characteristics of the peat of Kirghizistan]
Fiziko-khimicheskaia kharakteristika torfa Kirgizii. Frunze,
Izd-vo Akad.nauk Kirgizskoi SSR, In-t khimii, 1959. 95 p.
   (MIRA 13:7)
   (Kirghizistan--Peat)

ZINOV'YEV, A. A.

Dissertation defended for the degree of Doctor of Philosophical Sciences
at the Institute of Philosophy

"Logic Statements and Deductive Theory."

Vestnik Akad.   Nauk, No. 4, 1963, pp 119-145

AUTHORS: Babayeva, V. P., Zinov'yev, A. A.

ZINOV'YEV, A., dots.

"Miracles" in enterprises of Tula Province. Izobr.i rats.
no.11:47-48 N '59.   (MIRA 13:3)
        (Tula Province--Technological innovations)

ZINOV'YEV, A. A.

PHASE I BOOK EXPLOITATION   SOV/5088

Akademiya nauk SSSR

Primeneniye logiki v nauke i tekhnike (Application of Logic in Science and Technology) [Moscow] Izd-vo AN SSSR (1960) 357 p. Errata slip inserted. 10,000 copies printed.

Sponsoring Agency: Akademiya nauk SSSR.

Editorial Board: Resp. Ed.: I. V. Tavanets, E. Ya. Kol'man, G. K. Povarov and S. A. Yanovskaya; Ed. of Publishing House: R. Yu. Rozenberg; Tech. Ed.: S. T. Markovich.

PURPOSE: This book is intended for scientists interested in mathematical and symbolic logic.

COVERAGE: The book is a collection of 16 articles in which the authors discuss problems of mathematical logic and its application to computers, linguistics, zoology, methodology and various fields of technology. No personalities are mentioned. References follow all but one article.

Petrov, ___. Significance of the Axiomatic Method in the Study of Trends in Changes of Living Systems   173

Subbotin, A. A. Deductive Method in Investigating the Propositions of Relationship   215

Zinov'yev, A. A. Generality Problem of Propositions of Relationship MIMEOGRAPHED   243

Zinov'yev, A. A. One Variant of the Definition Theory   251

Povarov, G. N. Group Invariance of Boolean Functions   263

Shestakov, V. I. Double Arithmetic Interpretation of the Three-Valued Calculation of the Proposition Used in Simulating This Calculation by Means of a Relay-Switching Circuit   341

Raitlin, M. ___. and L. M. Shcherban. Some Problems of Physical Realization of Systems Performing Logical Functions   377

Barzdin', ___. ___. Application of Many-Valued Logics in the Theory of Relay Systems   394

Povarov, G. N. Inductive and Deductive Aspects of Logic Connected With Logical Problems in Technology   415

Lakhuti, ___. "Phase Method" in Formal Logic   421

Biryukov, B. V. Sense Theory of Gottlob Frege   502

AVAILABLE: Library of Congress

Card 1/2

ZINOV'YEV, A.A., doktor tekhn.nauk

Discussion of the selectivity of oil hydrogenation. Masl.-zhir.prom.
28 no.11:13-19 N '62. (MIRA 15:12)
(Hydrogenation) (Oils and fats)

ZINOV'YEV, A. A.   (Moscow)

    "A General Theory of Determination and the Possibility of its Application
to the Theory of the Machines Carrying Out Translation."

Theses - Conference on Machine Translations, 15 - 21 May 1958; Moscow.

ZINOV'YEV, Aleksandr Aleksandrovich; TAVANETS, P.V., doktor filos. nauk,
    otv. red.; ROZENBERG, R.Yu., red. izd-va; UL'YANOVA, O.G.,
    tekhn. red.

[Propositional calculus and the theory of deduction] Logika vy-
skazyvanii i teoriia vyvoda. Moskva, Izd-vo Akad. nauk SSSR,
1962. 151 p.   (MIRA 15:1)
            (Logic, Symbolic and mathematical)

BOKOV, I.I.; PYKHOV, E.V.; ZINOV'YEV, A.F.; MEL'MAN, R.P.

Wear testing machine for wire. Zav. lab. 30 no.6:755 '64.
(MIRA 17:8)

1. Chelyabinskiy nauchno-issledovatel'skiy institut metallurgii.

RAKOCH, G.M.; SALIN, A.A.; ZINOV'YEV, A.F.; PILIPCHUK, N.A.; KOCHERGIN, A.I.;
    TULENKOV, I.P.; SHARAPOV, S.F.; VOLKOVA, V.S.; ROGALIS, Yu.P.;
    VLASOV, V.A.

Directions for the technical improvement of the electrolysis
of zinc. TSvet. met. 38 no.5:22-25 My '65.

                                                (MIRA 18:6)

VOLKOVICH, A.V., inzh.; KOCHERGIN, A.I., inzh.; GREKOV, S.D., inzh.;
ZINOV'YEV, A.F., inzh.; TETENEVA, M.S., inzh.

Mechanizing the production of cadmium sulfate. Khim. i neft.
mashinostr. no.1:39 Jl '64.   (MIRA 17:12)

SOV/138-59-3-1/16

AUTHOR: Zinov'yev, A.F.

TITLE: The Way to Further Economy in the Construction of
            Synthetic Rubber and Organic Chemical Factories
            (Puti dal'neyshey ekonomii v stroitel'stve zavodov
            kauchuka i organicheskogo sinteza)

PERIODICAL: Kauchuk i rezina, 1959, Nr 3, pp 1-5 (USSR)

ABSTRACT: This leader quotes the 1958 Communist Party directives on
            expansion of production of synthetic fibres, plastics and
            other synthetic materials. The main proportions of total
            capital expenditure in these fields are, 17% for prod-
            uction of butadiene from butane, 20% for production of
            ethylene from petroleum gas and 19% for production of
            isoprene, i.e. 56% of the total capital expenditure on
            synthetic chemicals will be devoted to these projects.
            The capital cost of plant for producing butadiene by two-
            stage dehydrogenation of butane is shown to be about two
            thirds that for production of butadiene through synthetic
            ethyl alcohol. Concentration of production by dehydro-
            genation will be achieved by building a few very large
            plants rather than a number of small ones, by simplifying
Card 1/4   the external construction of fractionating columns and

The Way to Further Economy in the Construction of Synthetic Rubber
and Organic Chemical Factories

heat exchangers, by introducing complete automatic control
incorporating new methods of gas analysis, by going over
to turbo-compressors, and by using a system of moving
powdered catalyst in the dehydrogenation plant. Other
economies can be effected by steam stripping of uncon-
verted hydrocarbons in the preliminary extraction of
butadiene from the latex. The introduction of oil-filled
rubbers will lead to 15% reduction in capital cost of
plant as compared with unfilled types. Use of colophony
soap as an emulsifier during polymerization is less
expensive than present "nekal" system, and involves less
cost on cleaning waste washing liquor. The extraction
of rubber from latex will be carried out from material
in the form of crumbs instead of using large ribbon forming
plant. The production of isoprene monomers by dehydro-
genation of isopentane should enable a 30% reduction in

Card 2/4

SOV/138-59-3-1/16

The Way to Further Economy in the Construction of Synthetic Rubber
and Organic Chemical Factories

plant cost as compared with production through isobutane
and methane. Introduction of more advanced single-stage
dehydrogenation of isopentane can produce further economy.
Further work is required on continuous processes for
polymerization of isoprene. The capital cost of plant to
produce ethylene from petroleum gas can be reduced by
improving absorption plant for gas separation, combining
the separation and rectification plants using powerful
propane-cooled turbo-compressors, improvement in heat
exchange plant and also the use of reflux pumps for
liquified hydrocarbons. Development of plant for gas
separation by condensation is required. The maximum use
must be made of the liquid hydrocarbon fractions and the
amount of "dry" gases from cracking be reduced. General
observations are given on organisation of construction,
phasing of service works and planning schedules. The
importance of reducing man-power requirements is emphas-
ised by the statement that the capital value of housing
and community building per workman is 25 000 to 30 000
Card 3/4   roubles. The economy of designing plant to operate under

SOV/138-59-3-1/16

The Way to Further Economy in the Construction of Synthetic Rubber
and Organic Chemical Factories

open air conditions is stressed. The article concludes
with remarks on the benefits from use of natural gas,
now becoming more widely available, as a raw material
for production of ethylene rather than the "ballast"
cracking gas now used. More use should be made of
liquified gases. The possibilities of thermal energy
conservation, by integration of electric generation
with plant, must be exploited.

ASSOCIATION: Gosudarstvennyy proyektnyy i nauchno-issledovatel'skiy
institut promyshlennosti sinteticheskogo kauchuka
(State Planning and Research Institute for Synthetic Rubber
Industry)

Card 4/4

ZINOV'YEV, A.F.

Problems in the technological outline of the new processes
in the manufacture of synthetic rubber. Kauch. i rez. 22
no.6:1-5 Je '63.   (MIRA 16:7)

1. Gosudarstvennyy institut po proyektirovaniyu zavodov
kauchukovoy promyshlennosti.
                    (Rubber, Synthetic)

BEREZHKOV, P.I.; ZINOV'YEV, A.F.

Mechanization of the preparation of metals for rolling and of
finishing the rolled products. Biul. tekh.-ekon. inform.
no. 4:8-11 '61.   (MIRA 14:5)
            (Rolling (Metalwork)—Technological innovations)

ZINOVIYEV, A.F.

Over-all modernization of designing.   Khim. prom. no.9:12-13
S '61.   (MIRA 15:1)
   (Factories--Design and construction)

ZINOV'YEV, A.F., YAKOVLEV, K.A.

Basic trends in the utilization of natural and casing-head gases
in the chemical industry in 1960 and in the coming years of the
seven-year plan. Gas.prom. 5 no.4:30-33 Ap '60.
                                                (MIRA 13:8)

    (Gas, Natural)   (Chemical industries)

ZINOV'YEV, A.F.

Mechanization of cleaning and finishing departments. Metallurg
6 no.8:34-35 Ag '61.   (MIRA 14:8)

1. Nauchno-issledovatel'skiy institut metallurgii Chelyabinskogo
sovnarkhoza.
            (Metal cleaning) (Metals—Finishing)

ZINOV'YEV, Aleksey Fedorovich; SVET, Ye.B., red.

[Flame scarfing of rolling mill billets] Ognevaia za-
chistka prokatnykh zagotovok. Cheliabinsk, IUzhno-
Ural'skoe knizhnoe izd-vo, 1964. 26 p. (MIRA 18:4)

ZINOV'YEV, A.G., fel'dsher (Moscow)

Health education activities at feldsher-midwife centers.
Fel'd i akush. 23 no.5:55-56 My'58   (MIRA 11:6)
          (HEALTH EDUCATION)

ZINOV'YEV, A. I.

"Automatic Oxygen Analyzer," Kislorod, No. 2, 1945.

ZINOV'YEV, A.I.

ZINOV'YEV, H.I.

ZINOV'YEV, A.I.; PRASS, B.Yu., spetsredaktor; RESH, G.S., redaktor;
GOTLIB, E.M., tekhnicheskiy redaktor

[Technology of common and iodized salt] Tekhnologiia vyvarochnoi i
iodirovannoi soli. Moskva, Pishchepromizdat, 1957. 85 p.
        (Salt)   (MIRA 10:9)

ZINOV'YEV, A.I.

Recomposition factor of the sedimentary rocks of the Emba
region. Geol. nefti i gaza 8 no.4:46-49 Ap '64.   (MIRA 17:6)

1. Vsesoyuznyy neftyanoy nauchno-issledovatel'skiy geologorazvedochnyy
institut.

YURGANOV, N.N.; ZINOV'YEV, A.I.

Apparatus for determining organic carbon in rocks by combustion
in the furnaces of Mars. Trudy VNIGRI no.123:205-208 '58.
                                              (MIRA 11:12)

    (Rocks--Analysis) (Carbon)

YURGANOV, N.N.; ZINOV'YEV, A.I.

Method of analyzing the acid-soluble part of a weighted portion
of sedimentary rocks. Trudy VNIGRI no.123:209-213 '58.
(MIRA 11:12)

(Rocks--Analysis)

ZINOV'YEV, A.I.

Method of working up data of chemical analysis of rocks to
determine the conditions of sediment formation. Trudy VNIGRI
no.123:214-217 '58.   (MIRA 11:12)
                        (Sediments (Geology))

ZINOV'YEV, A.I.; YURGANOV, N.N.

Trilenometric determination of the amount of calcium and
magnesium in natural waters and rocks. Trudy VNIGRI no.123:
218-223 '58.   (MIRA 11:12)
(Rocks--Analysis) (Calcium) (Magnesium) (Water--Analysis)

ZINOV'YEV, A.I.

Some methods for the investigation of sedimentary rocks and
formation waters. Trudy VNIGRI no.123:224-232 '58.   (MIRA 11:12)
(Water, Analysis)

YURGANOV, N.N.; ZINOV'YEV, A.I.; SVERCHKOV, G.P.

Geochemical characteristics of clay-silt deposits of the West Siberian Lowland in connection with their petroleum and gas bearing capacities. Trudy VNIGRI no.155:249-269 '60.   (MIRA 14:1)
          (Siberia, Western--Clay--Analysis)
       (Petroleum geology)   (Gas, Natural--Geology)

YURGANOV, N.N.; ZINOV'YEV, A.I.

The dissolving rate of calcite, dolomite, and magnesite in acids
of various concentration. Trudy VNIGRI no.155:313-318 '60.
                                                   (MIRA 14:1)

    (Alkaline earth carbonates)   (Solubility)
                        (Acids)

ZINOV'YEV, A.I.; SOLOV'YEVA, N.S.

Mercurimetric method of determining chlorine ions with a new color
indicator. Trudy VNIGRI no.155:325-328 '60.   (MIRA 14:1)
        (Mercurimetry)   (Chlorine)   (Rocks—Analysis)

ZINOV'YEV, A.I.

Improving some chemical methods for the investigation of sedimen-
tary rocks and oil field waters. Trudy VNIGRI no.174:242-257
'61.   (MIRA 14:12)

             (Rocks--Analysis)
             (Oil field brines--Analysis)

ZINOV'YEV, A.I.

Multitubular unit for the determination of organic carbon.
Trudy VNIGRI no.174:258-259 '61.   (MIRA 14:12)
                        (Rocks--Analysis)
                        (Carbon)

SOV/58-59-9-20906

AUTHOR: Zinov'yev, A.L.

TITLE: A Two-Crystal Circuit of Temperature Compensation

ABSTRACT: The author examines a method of decreasing the temperature instability
              of quartz-crystal oscillators by means of compensating for variations
              in the resonance frequency of the quartz resonator with the aid of a
              similar resonator having a temperature coefficient of frequency (TCF)
              with a sign opposite to that of the first. In the case of certain para-
              metric relations, both resonators, placed in identical temperature con-
              ditions and coupled to the generator circuit, can maintain a stable
              frequency of self-vibrations. Utilizing the temperature compensation
              of the crystals permits a substantial reduction in the requirement of
              temperature stability. The investigation is carried out with a bridge
              circuit as an example. In order to assure the reciprocal temperature
              compensation of the crystals, a circuit is used that consists of two
Card 1/2   symmetrical bridges having a pair of arms in common. On the basis of

A Two-Crystal Circuit of Temperature Compensation

the expressions obtained for the magnitude of the feedback brought about by the complex bridge, an estimate is made of the permissible magnitude of reciprocal mistuning between the crystals, which is due to the inaccuracy of the initial arrangement and to temperature drift. The conditions of oscillation-frequency stability are determined for various cases of mistuning, as well as the permissible limits of temperature variation for a symmetrical circuit. Expressions are found for the oscillation frequency of a two-crystal oscillator and for the TCF of the oscillator in relation to the TCF of the crystals. The author proposes a method of determining the scattering of the parameters of the crystals. The expressions obtained for the TCF of crystals can serve as computations when the crystals are grouped in pairs by being selected from a sufficiently large chunk. The author gives a concrete example of the determination of the permissible parameters of crystals.

V.V. Karizhenskiy

Card 2/2

- ZINOV'YEV, A. L., dots.

Dissertations for the degree of candidate of sciences at
the Moscow Institute of Power Engineering (Radio Engineering
Faculty). Izv.vys.ucheb.zav.; radiotekh. 2 no.3:379-380
My-Je '59.   (MIRA 13:2)

1. Moskovskiy ordena Lenina energeticheskiy institut, radio-
tekhnicheskiy fakul'tet.
           (Bibliography--Information theory)

ZINOV'YEV, A.L., kand. tekhn. nauk, dots.

Temperature compensation circuit with two quartz crystals. Trudy
MEI no.31:148-170 '56
(Oscillators, Crystal) (MIRA 13:3)

ZINOV'YEV, A.L., kand. tekhn. nauk. dots.

Coefficient of transmission of an aperiodic differentially connected network with distributed constants. Trudy MEI no.31:171-178 '56

(MIRA 13:3)

(Pulse techniques(Electronics))

ZINOV'YEV, A.L., dotsent; GOYZHEVSKIY, V.A., dotsent

Defense of dissertations. Izv. vys. ucheb. zav.; radiotekh.
3 no.6:671 N-D '60.   (MIRA 14:8)
                (Bibliography--Oscillators, Electric)
                (Bibliography--Frequency regulation)

05214

SOV/142-2-3-22/27

9(3,9)

AUTHOR: Zinov'yev, A.L., Docent

TITLE: Theses for Acquiring the Scientific Degree of Candidate of Sciences

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Radiotekhnika, 1959, Vol 2, Nr 3, pp 379-380 (USSR)

ABSTRACT: B.A. Varshaver defended the thesis "Some Problems of the Theory of Discrete Signal Transmission With Fluctuation Noises" (Nekotoryye voprosy teorii peredachi diskretnykh signalov pri flyuktuatsionnykh pomekhakh) for acquiring the scientific degree of Candidate of Sciences. The thesis was defended on February 28, 1958, against the official opponents Professor, Doctor of Technical Sciences Ye. I. Manayev and Candidate of Technical Sciences A.M. Petrovskiy. The author of the thesis considered some problems of the theory of transmitting discrete signals in the presence of fluctuation noises. For different keying methods, he determined: traffic capacity of the communication channel, upper limit of transmitting speed and noise-resistance with codes.

Card 1/4

05214
SOV/142-2-3-22/27

Theses for Acquiring the Scientific Degree of Candidate of Sciences

various combinations. The solution of the aforementioned problems is based on data obtained by K.Ye. Shennon for the general theory of communication ratios and the theory of potential noise-resistance of V.A. Kotel'nikov. Using the research results, for a number of cases an estimation may be furnished of ways of improving communication systems, employing signals with a different number of discrete values for transmitting information. - O.S. Chentsova defended the thesis "Some Problems of Detecting With Semiconductor and Vacuum Diodes" (Nekotoryye voprosy detectirovaniya poluprovodnikovymi i vakuumnymi diodami). The thesis was defended on May 9, 1958, against the official opponents Professor, Doctor of Technical Sciences N.I. Chistyakov and Candidate of Technical Sciences M.V. Blagoveshchenskiy. The thesis was written under the guidance of Professor, Doctor of Technical Sciences L.S. Gutkin. The author of the thesis discusses problems, connected with the application of semiconductor diodes as detectors of pulse and continuous signals in radio equipment. Further, some problems of the analysis of detecting pulse signals and noises are presented. New methods of calculating semiconductor diodes were obtained. A

Card 2/4

05214
SOV/142-2-3-22/27

Theses for Acquiring the Scientific Degree of Candidate of Sciences

new transient process analysis method was suggested for circuits
of the resonance amplifier-detector type. The author established
a formula for the root-mean-square magnitude of the voltage at
the output of a real electronic detector. G.A. Komarov defended
the thesis "Video Correction Circuits Which Are to Be Described
as Characteristic Equations of the 5th and 6th Order" (Skhemy
videokorrektsii, opisyvayemyye kharakteristicheskimi uravneniy-
ami 5 i 6 stepeney) for acquiring the scientific degree of a
Candidate of Sciences. The thesis was written under the guidance
of Professor, Doctor of Technical Sciences G.V. Braude. The de-
fense was held on June 27, 1958 against the official opponents
Professor, Doctor of Technical Sciences O.B. Lur'ye, Docent, Can-
didate of Technical Sciences I.G. Mamonkin. The author of the
thesis investigated four-pole correction circuits of higher fre-
quencies, containing three direct capacitances which are to be
described by characteristic equations of the 5th and 6th order.
An expression for the transmission factor was obtained for each
of the circuits, magnitudes of correction parameters were found,
providing the production of an optimum amplitude-frequency cha-

Card 3/4

05214
SOV/142-2-3-22/27

Theses for Acquiring the Scientific Degree of Candidate of Sciences

racteristic and an optimum phase-frequency characteristic. Tran-
sient characteristics were found, obtained with optimum harmonics
characteristics. The effectiveness of each of the circuits under
consideration was estimated. The settling time, compared to 4th
order circuits, amounts to 20-30% for 6th order circuits and
10-12% for 5th order circuits. The method of equal meduli, sug-
gested by O. B. Lur'ye, for determining correction circuit parame-
ters, described by characteristics equations of the 4th order in-
clusively, was extended by the author of the thesis to circuits
described by characteristic equations of a higher order.

ASSOCIATION: .Moskovskiy ordena Lenina energetichenkiy institut - radiotekh-
nicheskiy fakul'tet (Moscow - Lenin Order - Institute of Power
Engineering - Radio Engineering Department)

Card 4/4

9-2583 (1144,1154,1331)

84495
S/112/59/000/014/074/085
A052/A001

Translation from: Referativnyy zhurnal, Elektrotekhnika, 1959, No. 14, p. 246,
30291

AUTHOR: Zinov'yev, A. L.

TITLE: Double-Quartz Circuit with Temperature Compensation

PERIODICAL: Tr. Mosk. energ. in-ta, 1958, No. 31, pp. 148-170

TEXT: A method of frequency stabilization of a quartz oscillator is analized.
The method is based on temperature compensation of resonance frequency of the
quartz resonator by means of a similar resonator with a frequency temperature
coefficient (FTC) of the opposite sign. The analysis is carried out on an example
of a bridge circuit containing 2 mutually compensating quartzs, connected to
symmetrical bridge arms. An expression for the magnitude of feedback realized
through the bridge is found. An evaluation is made of the admissible magnitude of
mutual detuning at which the fixing capability of the bridge is preserved for cases
both of identical quartzs and quartzs with essentially different parameters. It
is shown that in case of a symmetrical circuit the admissible detuning must be

Card 1/2

Double-Quartz Circuit with Temperature Compensation

84495
S/112/59/000/014/074/085
A052/A001

much (5-10 times) narrower than the width of the pass-band of the resonator. A method of determining the admissible spread of quartz parameters (ΔFTC_{adm}) is suggested.

I. N. L.

Translator's note: This is the full translation of the original Russian abstract.

Card 2/2

ZINOV'YEV, A.L., dots.

In the Moscow Power Engineering Institute; department of radio
engineering. Izv. vys. ucheb. zav.; radiotekh. no.2:261-262
Mr-Ap '58.   (MIRA 11:5)

1. Moskovskiy ordena Lenina energeticheskiy institut, radiotekhni-
cheskiy fakul'tet.
                        (Bibliography—Radio)

SOV/142-58-5-16/23

9(3)

AUTHOR: Zinov'yev,A.L., Candidate of Technical Sciences, Docent

TITLE: Scientific
           /Research in the "Vuz". Brief Communication. Moscow Institute of
           Power Engineering (Radio Engineering Department)

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy - radiotekhnika, 1958, Nr 5,
             pp 621-622 (USSR)

ABSTRACT: The article gives a short summary of the research done by the in-
             stitute. 1) Dispatcher communication apparatus; done by Senior
             Instructor S.A. Marinov, Senior Engineer V.P. Vasil'yev, N.G.
             Petrov, B.N. Pavlov, T.A. Lokshina. Scientific Supervisor was
             Candidate of Technical Sciences N.K. Svistov; 2) Investigation of
             a Generator with Retarding Grid; done by Candidate of Technical
             Sciences G.M. Utkin and Assistent Kozlovskiy. Scientific Super-
             visor was Candidate of Technical Sciences DocentYe.P. Korchagina;
             3) Investigating an Output Stage of a Decimeter Wave Transmitter;
             done by Engineer A.A. Turkin. Scientific Supervisor was Candidate
             of Technical Sciences Docent Ye.P. Korchagina; 4) Investigation of
Card 1/2   a Phase Detector at Multiple Frequencies; done by V.M. Safonov.

Scientific   SOV/142-58-5-16/23

/Research in the "Vuz". Brief Communication. Moscow Institute of Power Engineering
(Radio Engineering Department)

        Scientific Supervisor: Doctor of Technical Sciences Professor
        S.I. Yevtyanov; 5) Investigation of two Schemes of a Phase-Im-
        pulse Detector; done by V.M. Safonov. Scientific Supervisor:
        Doctor of Technical Sciences Professor S.I. Yevtyanov; 6) Phasing
        Self-Tuning of Frequency with Filters of the Second Order; done
        by the same group as 5); 7) Autogenerators, Stabilized on Quartz
        Harmonics; done by Assistent L.A. Komyev. Scientific Supervisor:
        Doctor of Technical Sciences Professor S.I. Yevtyanov; 8) Auto-
        generator with Quartz in the Circuit; done by Assistent V.P.
        Zhukhovitskaya. Scientific Supervisor: Doctor of Technical Sci-
        ences Professor S.I. Yevtyanov.

SUBMITTED: February 15, 1958

Card 2/2

KARDASH, A.N.; ZINOV'YEV, A.N.

Semiautomatic tool for pipe bending. [Suggested by A.N.Kardash, A.N.Zinov'ev]. Rats. i izobr. predl. v stroi. no. 4:79-81 '57.
(MIRA 11:8)

(Pipe bending)
(Machine tools)

ZINOV'YEV, A. P. and OROCHKO, D. I.

"Principles of Control of Reaction Equipment for Hydrogenation of Fuels".
Transactions of the All-Union Scientific Research Institute of Synthetic
Liquid Fuel and Gas, Moscow, Gostoptekhizdat, 1950, volume II.

ZINOV'EV, A. P.

Perevozki voisk po zheleznoi doroge. /Troop transportation by rail/. Pod red.
N. V. Nikitina i S. M. Kulikovskogo. Kiev, Na varti, 1935. 102 p. maps
DLC: UC280.Z5

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress
Reference Department, Washington, 1952, Unclassified.

ZINOV'YEVA, A.P.

Integral kinetic equations for a chemical reaction in combination with mass transfer. Khim. i tekh. topl. i masel 9 no.7:6-8 Jl '64.
(MIRA 17:12)

ZINOV'EV, A. S. Cand Med Sci -- (diss) "Material on the morphological substratum of cardiac decompensation in rheumatism." Omsk, 1957. 18 pp; (Ministry of Public Health RSFSR, Cmskiy State Medical Inst im M. I. Kalinin); 200 copies; free; (KL, 19-60, 138)

MAKOKHA, N. S., dotsent; ZINOVYEV, A. S., kand. med. nauk

Case of papillary cystadenoma of the pancreas. Khirurgiia 37
no.7:140-142   Jl '61.   (MIRA 15:4)

1. Iz Omskoy oblastnoy klinicheskoy bol'nitsy (glavnyy vrach
K. I. Shekhurdina)

(PANCREAS--TUMORS)

SAVCHENKO, Yu.N., dotsent; ZINOV'YEV, A.S., dotsent

Epidural intracranial cholesteatomas. Trudy OMI no.54:
21-25 '64.   (MIRA 18:9)

1. Iz kafedry nervnykh bolezney (zav.- prof. N.I. Savchenko) i
kafedry patologicheskoy anatomii (zav. zasluzhennyy deyatel'
nauki RSFSR prof. I.S. Novitskiy) Omskogo meditsinskogo instituta.

ZINOV'YEV, A.S.; KOVALENKO, V.L.; MOLODYKH, D.N.; BRYSOVA, L.I.

False aneurysm of the aorta in pulmonary tuberculosis. Probl.
tub. 42 no.10:83-84 '64.   (MIRA 18:11)

1. Kafedra patologicheskoy anatomii (zav.- prof. I.S. Novitskiy)
Omskogo meditsinskogo instituta.

ZINOV'YEV, A.S.; SAVCHENKO, Yu.N.

Adenoma of the islands of Langerhans. Vrach. delo no.12:124-125
D '60.
(MIRA 14:1)

1. Omskaya oblastnaya klinicheskaya bol'nitsa.
(PANCREAS—TUMORS)

ZINOV'YEV, A. S., kand. med. nauk; ZUBOV, N. A.

Two cases of primary cancer of the liver in children. Pediatriia
no.11:65-67 '61.   (MIRA 14:12)

1. Iz patologoanatomicheskogo otdeleniya (zav. A. N. Zakharova)
Tyumenskoy oblastnoy bol'nitsy (glavnyy vrach A. A. Moiseyenko)

(LIVER—CANCER)   (CHILDREN—DISEASES)

ZINOV'YEV, A.S., kand.med.nauk; ZUBOV, N.A.

Pathological anatomy of so-called idiopathic myocarditis.
Vrach. delo no.2:133-134 F '62.   (MIRA 15:3)

1. Patologoanatomicheskoye otdeleniye (zav. - A.N. Zakharova)
Tyumenskoy oblastnoy bol'nitsy.
                    (HEART--MUSCLE--DISEASES)

Country : USSR   S
Category: Human and Animal Morphology (Normal and Pathological).
           Pathological Anatomy.

Abs Jour: RZhBiol., No 2, 1959, No 7657

Author : Zinov'yev, A. S.
Inst   : Omsk Medical Institute
Title   : Materials on the Problem of Morphological Substrate of
           Cardiac Decompensation in Rheumatism and Protracted
           Septic Endocarditis

Orig Pub: Tr. Omskogo med. in-ta, 1957, No 22, 121-158

Abstract: In rheumatic carditis in children, in the period of the
           first attack or in aggravation of the disease, in
           rheumatic myocarditis of adults as well as in protrac-
           ted septic endocarditis, the progressing of cardiac in-
           sufficiency is a consequence of diffuse nonspecific

Card   : 1/4

                              8-49

Country : USSR   8
Category: Human and Animal Morphology (Normal and Pathological).
           Pathological Anatomy.

Abs Jour: RZhBiol., No 2, 1959, No 7657

           exudative-infiltrative inflammation of interstitial
           tissue of myocardium with transition to coronary
           vessels. The inflammatory-dystrophic changes in
           extra - and intracardiac nerve apparatus and struc-
           tural changes of the argyrophillic body of myocar-
           dium (coarsening, hyperplasia, macro-focal and
           diffuse collagenisation of longitudinal and trans-
           verse argyrophil fibers) also contribute to the
           development of cardiac insufficiency. In sepsis
           lenta the enumerated changes are more strongly
           express than in rheumo-carditis. In cases when
           aggravation of rheumo-carditis appeared in the

Card   : 2/4

Country : USSR   S
Category: Human and Animal Morphology (Normal and Pathological).
          Pathological Anatomy.

Abs Jour: RZhBiol., No 2, 1959, No 7657

          development of inflammatory changes of endocardium
          only, appearances of sclerosis in myocardium were
          discovered. As foundation of cardiac decompensation
          disturbances of extra- and intra-cardial nerve ap-
          paratus, sclerotic changes of coronary vessels,
          disturbance of structure of argyrophillic body of
          myocardium were found. The ennumerated factors
          contribute to the disorder of metabolic processes
          which leads to development of dystrophic changes
          in the muscular syncytium. The complex of inter-
          connected pathologo-morphological changes, which
          arise in the interstitial tissue of myocardium,
          nerve apparatuses of the heart, coronary vessels

Card   : 3/4

                              S-50

ACC NR: AP6032352   SOURCE CODE: UR/0091/66/000/006/0005/0006

AUTHOR: Belyakov, Y. G.; Zinov'yev, A. V.
ORG: none
TITLE: Device for locating short-circuits on 6-10 KV overhead lines
SOURCE: Energetik, no. 6, 1966, 5-6
TOPIC TAGS: electric power transmission, electric measuring instrument, electronic amplifier

ABSTRACT: The article describes a device for locating points at which a power distribution system with isolated neutral may be grounded. The direction along which a fault has occurred is determined on the basis of zero-sequence current measurements by the two-loop method, while the actually grounded transmission pole is found by the single-loop method. The device is portable and consists of two basic components: a measuring instrument and an amplifier, both connected by a flexible shielded cable. All design parameters are given and the equivalent circuit diagram is shown: a millivoltmeter-microammeter connected through a filter to two coils in parallel; both coils are wound on silicon steel cores and their inductances are compensated by series capacitors. One coil, the "horizontal" one, is in the circuit permanently — the other coil, the "vertical" one, is connected through a switch. The device was tested during the year 1965 on various rural networks according to procedure outlined here for the case of a single-phase to ground fault. The device reduces trouble shooting time by 3-4 times and makes any switching within the distribution network unnecessary. Orig. art. has: 4 figures. [JPRS: 37,061]

SUB CODE: 09, 10 / SUBM DATE: none

Card 1/1   UDC: 621.315.1

POLUKHIN, V.P., kand.tekhn.nauk; ZINOV'YEV, A.V., inzh.; ZUBANOV, B.S., inzh.

Effect of the axial channel in working rolls on the elastic deformation of four-high rolling mill rolls. Stal' 25 no.5: 435-437 My '65.   (MIRA 18:6)

1. Moskovskiy institut stali i splavov.

POLUKHIN, V.P.; ZINOV'YEV, A.V.; TERESHKO, A.K.

Elastic deformation of a disk under the effect of various systems
of loading. Izv.vys.ucheb.zav.; chern. met. 8 no.4:102-106 '65.
(MIRA 18:4)

1. Moskovskiy institut stali i splavov.

POLUKHIN, V.P., kand. tekhn. nauk; ZIKOV'YEV, A.V., inzh.; TERENERG, A.K., inzh.

Simultaneous measurement of contact stresses and deformations during rolling. Izv. vys. ucheb. zav.; mashinostr. no.6: 144-149 '65.   (MIRA 18:8)

POLUKHIN, V.P.; ZINOV'YEV, A.V.; TERESHKO, A.K.; LOSEV, K.F.

    Elastic compression of the working rolls on four-high mills. Izv.
vys. ucheb. zav.; chern. met. 8 no.7:120-123 '65.   (MIRA 18:7)

    1. Moskovskiy institut stali i splavov.

POLUKHIN, V.P.; ZINOV'YEV, A.V.

Determining the actual specific pressure in rolling. Izv. vys.
ucheb. zav.; chern. met. 8 no.9:117-121 '65.   (MIRA 18:9)

1. Moskovskiy institut stali i splavov.

POLUKHIN, V.P., kand. tekhn. nauk; ZINOV'YEV, A.V., inzh.

    Measuring elastic deformations in machine parts. Vest. mashinostr.
45 no.6:3-7 Je '65.   (MIRA 18:6)

POLUKHIN, V.P.; ZHELEZNOV, Yu.D.; ZINOV'YEV, A.V.

Elastic deformations of rolls on a four-high mill. Izv. vys. ucheb.
zav.; chern. met. 5 no.9:143-149 '62.   (MIRA 15:10)

1. Moskovskiy institut stali i splavov. Rabota vypolnena pod
rukovodstvom prof.doktora tekhn.nauk P.I.Polukhina i chlena-korres-
pondenta AN SSSR I.M.Pavlova.
       (Rolls (Iron mills))   (Deformations (Mechanics))

ZINOV'YEV, A. V.

Apparatus for the manufacture of lacquers and paints. A. V. Zinov'ev. *Lakokrasochnaya Ind.* 1932, No. 1-2, 30-41.—A critical address. CHR S. HTAMATOFF

POLUKHIN, V.P., kand.takhn.nauk; ZINOV'YEV, A.V., inzh.

Effect of the axial hole on the elastic compression of rolls. Vest.
mashinostr. 45 no.9:26-29 S '65. (MIRA 18:10)

ZINOV'YEV, Anatoliy Yakovlevich; MARKUS, B.M., red.

[New types of joints for precast reinforced concrete
and mesh-reinforced concrete elements] Novye vidy soedi-
nenii sbornykh zhelezobetonnykh i armotsementnykh kon-
struktsii. Leningrad, 1965. 25 p.   (MIRA 18:5)

KORNILOV, Aleksandr Ivanovich; MININ, V.F.[deceased]; ZINOV'YEV,
Anatoliy Yakovlevich; ZAGRYADSKIY, Vasiliy Ivanovich;
KALININ, O.V., red.; FREGER, D.P., red. izd-va; BELOGUROVA,
I.A., tekhn. red.

[Mesh-reinforced concrete roofs for industrial buildings;
experience of the "Orgtekhstroi" Trust and Trust No.44 of the
Administration of Construction of the Leningrad National
Economic Council]Armotsementnye pokrytiia dlia promyshlennykh
zdanii; iz opyta raboty tresta "Orgtekhstroi" i tresta No.44
Upravleniia stroitel'stva Lensovnarkhoza. Leningrad, 1962.
16 p. (Leningradskii dom nauchno-tekhnicheskoi propagandy. Ob-
men peredovym opytom. Seriia: "Stroitel'naia promyshlennost',"
no.5)   (MIRA 15:8)
        (Roofing, Concrete) (Industrial buildings)

LYAPUSTIN, A.K.; BOZHKO, G.; KONDRAT'YEV, I.; GARBARCHUK, M.I.; MUSTAFAYEV,
Z.S.; IBRAGIMOV, R.; ZINOV'YEV, B.; ALEKSEYEV, A.A.; GLUKHOVA, G.;
SAZONOV, Yu.; MEDVEDEV, I.D.

In the Soviet Union. Veterinariia 39 no.11:89-96 N '62.
(MIRA 16:10)

GINZBURG, A.G.; OSTAPENKO, K.A.; BURDOV, A.N.; MELIKHOV, A.D.;
        ZINOV'YEV, B.; LABINOV, A.P.; SOTNIKOV, L.D.; POTAPOV, N.M.;
        KHRAMTSOV, V.V.

        Information and brief news. Veterinariia 41 no.1:117-126 Ja '64.
                                                (MIRA 17:3)

SHEYNIN, A.B.; ZINOV'YEV, B.A.; KHEYFETS, V.L. (Leningrad)

Oscillographic study of the kinetics of electrode processes. Part 3:
Cobalt electrode in solutions of various compositions. Zhur. fiz.
khim. 35 no.3:513-516 Mr '61.   (MIRA 14:3)

1. Institut nikelevoy, kobal'tovoy i olovyannoy promyshlennosti
Leningrad.
                    (Electrodes, Cobalt)

L 40243-66   EWP(v)/EWT(d)/EWP(k)/EWP(h)/EWP(l)   BC

ACC NR: AP6021398   SOURCE CODE: UR/0103/66/000/006/0164/0170

AUTHOR: Zinov'yev, B. G.(Moscow); Perel'man, I. I. (Moscow)

ORG: none

TITLE: Principles of electronic-pulse simulation of mass servicing systems

SOURCE: Avtomatika i telemekhanika, no. 6, 1966, 164-170

TOPIC TAGS: queueing theory, analog computer, computer simulation, mathematic model, STOCHASTIC PROCESS

ABSTRACT: A description is given of an analog-discrete electronic stochastic model, designed by the authors and to be used in the solution, by the Monte-Carlo method, of problems of mass servicing (queueing). The specific features of the simulation technique are illustrated on the basis of several examples. An estimate is made of the time required to solve queueing problems on all-purpose computers and on analog computers, and it is shown that the use of the analog electronic stochastic model for the solution of mass servicing problems by the physical simulation method results in a simplification of the programming process, is highly graphic in nature, and in many instances permits significant reduction in solution time when compared to the processing of identical problems on all-purpose class-computers. Moreover, the analog electronic stochastic model requires only a very small number of simple logical

Card   1/2   UDC: 519.152

L 40243-66

ACC NR: AP6021398

elements and standardized random time-interval sensors. Orig. art. has: 4 figures.

SUB CODE: 09/ SUBM DATE: 10Jul65/ ORIG REF: 004/ OTH REF: 002

Card 2/2 MLP

ZINOV'YEV, B.P.

AUTHOR: Zinov'yev, B.P., (Zagorsk, Moscow Oblast)   47-58-3-13/27

TITLE: Demonstrations of Alternating Current (Demonstratsii po pere-
              mennomu toku)

PERIODICAL: Fizika v Shkole, 1958, Nr 3, pp 53-55 (USSR)

ABSTRACT: The author describes 7 demonstrations enabling the students
              to understand the difference between direct and alternating
              current. There are 5 schematic drawings.

ASSOCIATION: 14-va srednvaya shkola (The 14th Secondary School)

AVAILABLE: Library of Congress

Card 1/1   1. Physics-Study and teaching   2. Mercury lamps-Study and teaching
               3. Luminescence-Study and teaching

ZINOV'YEV, B.S., zasluzhennyy veterinarnyy vrach Kazakhskoy SSR

Use of reserves in animal husbandry. Veterinariia 38 no.10:
32-33 O '61.   (MIRA 16:2)

1. Nachal'nik Glavnogo upravleniya veterinarii upravleniya
sovkhoza TSelinnogo kraya.
        (Virgin Territory--Veterinary medicine)

ZINOV'YEV, B.S.; KAS'YANOV, A.F.; LAPSHIN, I.I.; SHARAFUTDINOV, M.;
    LUZYANIN, D. Kh.; BRYUSHKOV, P.N.; SAVCHENKO, P. Ye.;
    KOSOVER, S.I.; SHUL'MAN, I.Ye.; LAPSHIN. I.I.

    Information. Veterinariia 38 no.8:91-96 Ag '61 (MIRA 18:1)